



1/19

FIG.1



2/19

FIG.2



3/19

FIG.3A




FIG.3B





FIG.3C



4/19

FIG.4A




FIG.4B






FIG.4C



5/19

FIG.5



6/19

FIG.6A




FIG.6B





FIG.6C



7/19

FIG.7A




FIG.7B








FIG.7C



8/19



9/19



10/19

FIG.10A




FIG.10B




FIG.10C




FIG.10D






FIG.10E




11/19

FIG.11



12/19

FIG.12



13/19

FIG.13




FIG.14




FIG.15A





FIG.15B



15/19

FIG.16





FIG.17



16/19

FIG.18





FIG.19



17/19

FIG.20




FIG.21




FIG.22





FIG.23



## EXPLANATION OF REFERENCE

100: substrate, 101: first electrode, 102: second electrode; 103: light emitting laminated body, 111: first layer, 112: second layer, 200: substrate 201: first electorde,  
5 202: second electrode, 203: light emitting laminated body, 211: first layer, 212: second layer, 213: third layer, 214: fourth layer, 301: first electrode, 302: second electorde, 303: light emitting laminated body, 311: first layer, 312: second layer, 313: third layer, 401: first electrode, 402: second electrode, 403: light emitting laminated body, 411: first layer,  
10 412: second layer, 413: third layer, 414: fourth layer, 601: source side driving circuit,  
602: pixel portion, 603: gate side driving circuit, 604: sealing substrate, 605: sealant,  
607: space, 608: wiring, 609: FPC (flexible print circuit), 610: element substrate, 611:  
15 switching TFT, 612: current control TFT, 613: first electrode, 614: insulator, 616: light emitting laminated body, 617: second electrode, 618: light emitting element, 623:  
n-channel type TFT, 624: p-channel type TFT, 700: film-forming chamber, 701:  
substrate, 702: vapor deposition mask, 703a: deposition shield, 703b: opening, 704:  
15 deposition source, 705: arrow, 706: arrow, 707: setting chamber, 708: deposition source,  
709: deposition shield, 716: sublimation direction, 951: substrate, 952: electrode, 903:  
insulating layer, 954: partition layer, 955: light emitting laminated layer, 956: electrode,  
9101: housing, 9102: supporting base, 9103: display portion, 9104: speaker portion,  
20 9105: video input terminal, 9201: main body, 9202: housing, 9203: display portion,  
9204: keyboard, 9205: external connection port, 9206: pointing mouse, 9301: main body,  
9302: display portion, 9303: arm portion, 9401: main body, 9402: housing, 9403:  
display portion, 9404: audio input portion, 9405: audio output portion, 9406: operation  
key, 9407: exteral connection port, 9408: antenna, 9501: main body, 9502: display  
25 portion, 9503: housing, 9504: external connection port, 9505: remote-control receiving  
portion, 9506: image receiving portion, 9507: battery, 9508: audio input portion, 9509:  
operation key, 9510: eye piece portion.